

Table 4-3. Byssinosis: Years of potential life lost to age 65 and to life expectancy by race and sex, U.S. residents age 15 and over, 1990-1999

Year	White		Black		Other		Total
	Male	Female	Male	Female	Male	Female	
	Years of Potential Life Lost to Age 65						
1990	55	—	—	—	—	—	55
1991	—	20	—	—	—	—	20
1992	50	35	90	—	—	—	175
1993	45	5	45	—	—	—	95
1994	25	30	—	—	—	—	55
1995	60	—	—	—	—	—	60
1996	5	20	—	—	—	—	25
1997	5	—	—	—	—	—	5
1998	5	—	—	—	—	—	5
1999	30	—	—	—	—	—	30
TOTAL	280	110	135	—	—	—	525
	Years of Potential Life Lost to Life Expectancy						
1990	187	55	11	—	—	—	253
1991	64	79	7	—	—	—	150
1992	111	113	112	9	—	—	345
1993	120	54	80	6	—	—	260
1994	117	104	16	—	—	—	237
1995	167	40	—	—	—	—	207
1996	47	88	—	—	—	—	135
1997	85	7	7	—	—	—	99
1998	48	16	—	—	—	—	64
1999	70	40	—	—	—	—	110
TOTAL	1,016	596	233	15	—	—	1,860

— indicates no deaths listed.
NOTE: See appendices for source description, methods, and ICD codes.
SOURCE: National Center for Health Statistics multiple cause of death data.